

SIGNALING SOLUTIONS



FOR ALARM, WARNING & INDICATION



PYRA : Flashing Strobe Light with Sounder (Plastic Housing - IP 66)

Image	Description	Flash Energy	Light Output	Nominal Sound Output (SPL)**	Voltage (VAC)	Part Number
	PY X-MA-10 Grey Housing and Amber Lens	10 J	149 cd	100 dB	10 - 60 VDC	21555814055
	PY X-LA-15 Grey Housing and Amber Lens	15 J	190 cd	103 dB	115 VAC	21565154055
	PY X-LA-15 Grey Housing and Clear Lens	15 J	190 cd	103 dB	115 VAC	21565151055
	PY X-LA-15 Grey Housing and Red Lens	15 J	190 cd	103 dB	115 VAC	21565155055

PYRA : Flashing Strobe Alarm Lights (Xenon Flash Tube - Plastic Housing - IP 66)

Image	Description	Flash Energy	Light Output	Voltage (VAC)	Part Number
	PY X-S-05 Grey Housing and Blue Lens	5 J	50 cd	115 VAC	21510157055
	PY X-S-05 Grey Housing and Yellow Lens	5 J	50 cd	24 VDC	21510803055
	PY X-S-05 Grey Housing and Red Lens	5 J	50 cd	115 VAC	21510155055
	PY X-M-10 Grey Housing and Amber Lens	10 J	149 cd	115 VAC	21551154055
	PY X-L-15 Grey Housing and Amber Lens	15 J	190 cd	115 VAC	21561154055

DS : Alarm Sounders (Red Painted, Cast Aluminum Housing - IP 66, IP 67)

Image	Description	Nominal Sound Output (SPL)**	Voltage (VAC)	Part Number
	DS 5-TAS-LSR UL Grey Housing	107 dB	24 VDC	23106800522
	DS 10 Grey Housing	114 dB	24 VDC	23111800000


Electronic Buzzers

Image	Description	Nominal Sound Output (SPL)**	Voltage (VAC)	Part Number
	P 22 DBZ Panel Mount Buzzer	80 dB (A) @ 10 cm	24 VDC	23270800000
	P 22 DBF Panel Mount Buzzer and Light	80 dB (A) @ 10 cm	24 VDC	23272805000

Patrol: Alarm Sounders (Plastic Housing - UL certified - Type 4/4x - IP 66)

Image	Description	Nominal Sound Output (SPL)**	Voltage (VAC)	Part Number
	PA 1 Surface Mount with Red Housing	100 dB	95 to 127 VAC	23310150000
	PA 1 Surface Mount with Gray Housing	100 dB	95 to 127 VAC	23310150055
	PA 1 LV Surface Mount with Red Housing	100 dB	10 to 57 VDC	23310630000
	PA 1 LV Surface Mount with Gray Housing	100 dB	10 to 57 VDC	23310630055
	PA 1-PM Panel Mount with Gray Housing	100 dB	10 to 57 VDC	23310630900
	PA 5 Surface Mount with Gray Housing	105 dB	104 to 126 VAC	23350150055
	PA 20 Surface Mount with Red Housing	120 dB	10 to 60 VDC	23370630000
		120 dB	95 to 265 VAC	23370640000
	PA 20 Surface Mount with Gray Housing	120 dB	10 to 60 VDC	23370630055
		120 dB	95 to 265 VAC	23370640055

Patrol: Flashing Alarm Sounders (Plastic Housing - UL certified - Type 4/4x - IP 66)

Image	Description	Flash Energy	Light Output	Nominal Sound Output (SPL)**	Voltage (VAC)	Part Number
	PA X 1-05 Grey Housing and Red Lens	5 J	50 cd	100 dB	18 to 30 VDC	23311805000
		5 J	50 cd	100 dB	90 to 135 VAC	23311155055
	PA X 1-05 Grey Housing and Amber Lens	5 J	50 cd	100 dB	18 to 30 VDC	23311804055
	PA X 1-05 Grey Housing and Blue Lens	5 J	50 cd	100 dB	18 to 30 VDC	23311807055
	PA X 1-05 Grey Housing and Yellow Lens	5 J	47 cd	105 dB	18 to 30 VDC	23351803055
	PA X 5-05 Grey Housing and Yellow Lens	5 J	47 cd	105 dB	18 to 30 VDC	23351805055
	PA X 10-10 Grey Housing and Amber Lens	10 J	149 cd	110 dB	90 to 135 VAC	23361154055
	PA X 10-10 Red Housing and Red Lens	10 J	149 cd	110 dB	90 to 135 VAC	23361155000
	PA X 10-10 Grey Housing and Red Lens	10 J	149 cd	110 dB	90 to 135 VAC	23361155055
	PA X 10-10 Grey Housing and Blue Lens	10 J	149 cd	110 dB	90 to 135 VAC	23361157055
		10 J	149 cd	110 dB	18 to 30 VDC	23361807055
	PA X 20-15 Grey Housing and Red Lens	15 J	265 cd	120 dB	90 to 135 VAC	23372155055
		15 J	265 cd	120 dB	18 to 30 VDC	23372805055
	PA X 20-15 Red Housing and Red Lens	15 J	265 cd	120 dB	18 to 30 VDC	23372805000

Quadro-LED TL: Traffic Style, LED Indicating Lights (High-Impact Plastic Housing - IP 66, 67)

Image	Description	Light Output	Voltage	Part Number
	Quadro LED HI Traffic style assembly, DC Voltage, Amber lens	75 cd	11-60 VDC	21108634000
	Quadro LED HI Traffic style assembly, DC Voltage, Red lens	75 cd	11-60 VDC	21108635000
	Quadro LED HI Traffic style assembly, DC Voltage, Clear lens	75 cd	11-60 VDC	21108631000
	Quadro LED HI Traffic style assembly, AC Voltage, Amber lens	75 cd	90 - 253 VAC	21108644000
	Quadro LED HI Traffic style assembly, AC Voltage, Red lens	75 cd	90 - 253 VAC	21108645000

Mounting Accessories

Image	Description	Tube Length	Part Number
	BR50-S Mounting tube with plastic stand (plinth). Includes mounting screws and gasket.	100 mm	28250150010
	BR50-T Threaded mounting tube with bracket. Includes mounting screws.	100 mm	28250160010
	BR50-BG Base gasket - for mounting BR50-BC base module directly to a panel. Includes mounting screws		28250210000
	BR50-MG Module gasket (o-ring) for achieving IP 65 protection. Use with base module and light modules		28250220000
	BR50-TG Tube gasket (o-ring) for achieving IP 65 protection at tube entry into base.		28250230000
	Surface Mount Gasket Installs on back side of sounder to seal against enclosure.		28300000004
	Panel Mount Kit Includes stainless steel screws, sealing washers and mating connector to achieve a flush panel mount.		28300000007

Stack Lights / Signal Towers - Series BR 50 (Audible Stack Modules)

Image	Description	Voltage (VAC)	Color	Part Number
	BR50-SM Sounder module, 7 tones, 85 dB, IP 43 (indoor use only)	115 VAC	Black	28250081600
		24 VDC	Black	28250088000
	BR50-L Bayonet style filament bulb	24 VDC/VAC	Clear	28213000000
	LED BA 15d Bayonet style LED lamp	24 VDC/VAC	Clear	28213000006
		24 VDC/VAC	Yellow	28213000007
		24 VDC/VAC	Red	28213000009
		24 VDC/VAC	Green	28213000011
		24 VDC/VAC	Blue	28213000012

Stack Lights / Signal Towers - Series BR 50 Visual Stack Modules

Image	Description	Voltage (VAC)	Color	Part Number
	BR50-BC Base module and top cap	All	Black	28250010000
	BR50-CL Continuous light module	All	Clear	28250040010
		All	Yellow	28250040030
		All	Amber	28250040040
		All	Red	28250040050
		All	Green	28250040060
		All	Blue	28250040070
	BR50-FL Flashing strobe light module	115 VAC	Red	28250071650
		24 VDC/VAC	Yellow	28250078030
		24 VDC/VAC	Amber	28250078040
		24 VDC/VAC	Red	28250078050



International Components Corp.
215 McCormick Drive
Bohemia, NY 11716 USA

Subject to technical amendments and misprints.

[Contact Your Local Representative:](#)

Phone: (631) 952-9595 ext. 15
Fax: (631) 952-9597
Email: la@icc107.com